







Quotation Sheet

Customer's Name		Quotation No.	
Attn		Date	
Customer Tel No.		Product Name	Brass Press Fittings
Customer Fax No.		Price Term	
Customer Address			

We are pleased to quote the below offers to you:

Product	Size	Unit Price	Order QTY	Total Value	Weight	Package	
Coupler	mm	(USD/PCS)	(PCS)	(USD)	(Gram/PCS)	(PCS/CTN)	(CBM/CTN)
	S16x16			0.000	38	320	0.011
	S20x20			0.000	51	248	0.011
	S25x25			0.000	94	144	0.011
	S32x32			0.000	135	72	0.011
	S20x16			0.000	45	272	0.011
	S26x16			0.000	72	160	0.011
	S26x20			0.000	76	160	0.011
	S32x16			0.000	99	96	0.011
	S32x20			0.000	102	96	0.011
	S32x25			0.000	120	96	0.011
Female Adaptor							
	S16x1/2"F			0.000	51	384	0.011
	S16x3/4"F			0.000	61	272	0.011
	S20x1/2"F			0.000	55	352	0.011
	S20x3/4"F			0.000	67	256	0.011
	S20x1"F			0.000	92	192	0.011
	S26x1/2"F			0.000	76	240	0.011
	S26x3/4"F			0.000	87	176	0.011
	S26x1"F			0.000	116	128	0.011
	S32x3/4"F			0.000	109	128	0.011
	S32x1"F			0.000	129	96	0.011
Male Adaptor							
	S16x1/2"M			0.000	45	400	0.011
	S16x3/4"M			0.000	61	320	0.011
	S20x1/2"M			0.000	53	320	0.011

	S20x3/4"M			0.000	64	304	0.011
	S20x1"M			0.000	99	192	0.011
	S26x1/2"M			0.000	74	192	0.011
	S26x3/4"M			0.000	85	192	0.011
	S26x1"M			0.000	107	144	0.011
	S32x3/4"M			0.000	103	128	0.011
	S32x1"M			0.000	124	128	0.011
Seated Female Elbow							
	L16x1/2" F(A)			0.000	102	128	0.011
	L20x1/2" F(A)			0.000	117	96	0.011
	L20x3/4" F(A)			0.000	140	64	0.011
	L26x3/4" F(A)			0.000	155	32	0.011
Elbow							
	L16x16			0.000	48	240	0.011
	L20x20			0.000	70	176	0.011
	L26x26			0.000	120	96	0.011
	L32x32			0.000	188	64	0.011
Female Elbow							
	L16x1/2"F			0.000	68	288	0.011
	L16x3/4"F			0.000	78	192	0.011
	L20x1/2"F			0.000	79	224	0.011
	L20x3/4"F			0.000	84	160	0.011
	L26x1/2"F			0.000	98	160	0.011
	L26x3/4"F			0.000	112	128	0.011
	L26x1"F			0.000	153	104	0.011
	L32x3/4"F			0.000	155	80	0.011
	L32x1"F			0.000	183	64	0.011
Male Elbow							
	L16x1/2"M			0.000	65	256	0.011
	L16x3/4"M			0.000	83	192	0.011
	L20x1/2"M			0.000	85	224	0.011
	L20x3/4"M			0.000	95	160	0.011
	L26x1/2"M			0.000	109	144	0.011
	L26x3/4"M			0.000	117	120	0.011
	L26x1"M			0.000	165	78	0.011
	L32x1"M			0.000	181	64	0.011
Tee							
	T16x16x16			0.000	68	160	0.011
	T20x20x20			0.000	100	160	0.011
	T26x26x26			0.000	172	112	0.011
	T32x32x32			0.000	274	64	0.011
	T20x16x20			0.000	85	112	0.011
	T25x16x25			0.000	138	96	0.011
	T25x20x25			0.000	148	96	0.011

	T32×16×32			0.000	192	72	0.011
	T32×20×32			0.000	201	72	0.011
	T32×25×32			0.000	230	72	0.011
Female Tee							
	T16×1/2"×16F			0.000	91	176	0.011
	T20×1/2"×20F			0.000	111	152	0.011
	T20×3/4"×20F			0.000	128	128	0.011
	T26×1/2"×25F			0.000	160	96	0.011
	T26×3/4"×25F			0.000	178	96	0.011
	T26×1"×25F			0.000	202	64	0.011
	T32×3/4"×32F			0.000	235	48	0.011
	T32×1"×32F			0.000	260	32	0.011
Male Tee							
	T16×1/2"×16M			0.000	82	176	0.011
	T20×1/2"×20M			0.000	95	144	0.011
	T20×3/4"×20M			0.000	128	112	0.011
	T26×1/2"×26M			0.000	155	64	0.011
	T26×3/4"×26M			0.000	170	64	0.011
	T26×1"×26M			0.000	196	64	0.011
	T32×1"×32M			0.000	260	32	0.011
Total Amount				0.000			

Remark:

1. Price term:
2. Packing method: be packed in cartons
3. Payment term:
4. Delivery time:
5. Sample available: yes, samples available for small quantity need.
6. RISONG reserves the right to change prices once upon material cost & exchange rate floate more than 2% .
7. Validity date: 20 days.
8. Product details:
 - (a). Material: high quality brass raw materials, such as CW617,58-2,CW602N DZR,C48600,etc
 - (b). The brass fittings are used for the connection of PEX-AL-PEX multilayer pipe & PEX pipe from Risong.
 - (c). Color: Natural brass color, nickel-plated in surface or chromed in surface
 - (d). ISO & CE certificated.